

CENTRAL NORTE ZONE				
Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC_123_11	418.2	428.2	10	0.22
CC_123_11	462.5	469.8	7.3	0.38
CC_123_11	485.8	492.25	6.45	0.24
CC_127_11	260.5	268.5	8	0.83
CC_127_11	322.6	328.6	6	0.21
CC_127_11	357.3	374.3	17	0.3
CC_131_11	6	28	22	0.4
CC_131_11	125.5	140.1	14.6	0.33
CC_131_11	148.2	187.6	39.4	1.25
Incl.	157.2	158.2	1	9.65
CC_138_11	20	47	27	6.94
CC_148_11	148.4	157.4	9	0.94
CC_148_11	177.1	203.1	26	0.38
CC_148_11	266.2	282.2	16	0.38
CC_148_11	324.2	343.2	19	0.49
CC_150_11	54	58.5	4.5	0.46
CC_153_11	30	32	2	1.45
CC_153_11	73.1	83.5	10.4	0.6
CC_153_11	94.6	104.6	10	0.51
CC_153_11	138.6	142.6	4	1.46
CC_153_11	245	247	2	1.35
CC_153_11	259	267	8	0.76
CC_156_11	151.6	153.6	2	0.82
CC_156_11	165	166	1	4.73
CC_159_11	51.2	57.3	6.1	1.86
CC_159_11	66	68	2	0.9
CC_163_11	24	44	20	0.59
CC_163_11	109.8	123.8	14	0.5
CC_163_11	138.8	140.8	2	5.97
CC_165_11	No Significant Results			
All holes were drilled at between -50° and -65°. The intersection widths are not necessarily true widths.				