





Central Zone – Diamond Drill Hole Summary

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 01 06	62.4	64.0	1.6	1.35
CC 01 06	82.0	90.0	8.0	0.36
CC 01 06	143.2	186.0	42.8	0.67
CC 02 06	31.0	190.0	159.0	0.91
CC 02 06	262.0	292.0	30.0	0.70
CC 02 06	318.0	328.0	10.0	0.99
CC 02 06	338.0	344.0	6.0	0.77
CC 03 06	116.7	118.9	2.2	0.86
CC 03 06	136.5	139.3	2.8	0.51
CC 03 06	141.1	275.6	134.5	1.10
CC 04 06	6.1	23.0	16.9	0.69
CC 04 06	141.3	147.4	6.1	0.88
CC 04 06	207.0	257.7	50.7	0.57
CC 05 06	20.8	31.0	10.2	0.23
CC 05 06	40.0	48.0	8.0	0.26
CC 05 06	91.0	95.0	4.0	0.91
CC 05 06	134.7	137.6	2.9	1.24
CC 06 06	82.1	98.0	15.9	0.45
CC 06 06	146.0	166.0	20.0	0.73
CC 07 06	63.0	76.9	13.9	2.49
CC 08 06	0.0	8.4	8.4	0.42
CC 08 06	16.0	19.8	3.8	0.68
CC 08 06	38.9	44.7	5.8	0.32
CC 08 06	81.2	84.2	3.0	1.62
CC 08 06	123.6	126.6	3.0	0.51
CC 08 06	135.6	137.6	2.0	1.24
CC 08 06	153.6	161.3	7.7	0.26
CC 08 06	220.4	222.4	2.0	13.05
CC 09 06	0.0	4.6	4.6	0.44
CC 11 07	No Significant Results			
CC 12 07	13.3	23.3	10.0	0.59
CC 12 07	35.0	39.0	4.0	0.90
CC 12 07	45.1	74.9	29.8	1.48
CC 12 07	96.7	100.6	3.9	1.84
CC_12_07	Hole was lost at 100.6 m depth. The final sample interval returned 2.1 m@2.53g/t			
CC 13 07	41.2	107.0	65.8	3.54
Incl.	57.9	64.0	6.1	23.53
CC 13 07	130.3	136.3	6.0	1.47
CC 13 07	165.2	177.5	12.3	4.25
CC 14 07	71.0	158.9	87.9	1.11
CC 15 07	42.8	222.4	179.6	1.06
Incl.	217.3	222.4	5.1	14.05

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 16 07	81.8	83.1	1.3	1.06
CC 16 07	149.3	150.9	1.6	1.29
CC 16 07	170.1	344.3	174.2	1.46
Incl.	218.0	277.0	59.0	2.86
Incl.	275.0	277.0	2.0	36.15
CC 16 07	Hole was stopped at 345.3 m depth in a post-mineral aplite dyke			
CC 17 07	128.8	130.8	2.0	2.05
CC 17 07	200.7	202.2	1.5	2.47
CC 18 07	No Significant Results			
CC 31 08	131.7	137.7	6.0	0.79
CC 31 08	147.7	149.7	2.0	2.47
CC 32 08	61.6	63.1	1.5	1.98
CC 32 08	88.0	308.7	220.7	2.02
Incl.	88.0	97.8	9.8	17.91
and	245.6	249.8	4.2	25.69
CC 32 08	308.7	326.5	17.8	0.68
CC 33 08	54.7	55.7	1.0	3.07
CC 33 08	77.1	78.1	1.0	2.36
CC 33 08	109.4	110.4	1.0	1.34
CC 33 08	133.7	136.7	3.0	1.02
CC 34 08	134.0	136.0	2.0	1.29
CC 35 08	34.0	36.0	2.0	1.51
CC 35 08	100.6	102.3	1.7	1.53
CC 35 08	127.2	138.1	10.9	0.85
CC 35 08	202.1	203.1	1.0	28.45
CC 37 08	46.5	52.3	5.8	1.33
CC 37 08	148.8	152.5	3.7	1.88
CC 37 08	176.5	177.3	0.8	1.19
CC 37 08	208.3	208.8	0.5	3.88
CC 38 08	56.1	57.9	1.8	1.39
CC 38 08	107.3	130.4	23.1	0.88
CC 38 08	174.7	275.8	101.1	0.79
Incl.	174.7	176.4	1.7	3.45
and	179.2	180.2	1.0	1.82
and	190.1	192.4	2.3	2.66
and	204.4	204.9	0.5	2.75
and	219.5	238.7	19.2	1.78
and	261.6	275.8	14.2	1.39
CC 38 08	291.4	293.4	2.0	1.25
CC 38 08	308.3	311.6	3.3	1.01
CC 39 08	90.4	91.6	1.2	1.23
CC 39 08	108.6	117.2	8.6	1.23
CC 39 08	151.3	153.8	2.5	1.43
CC 39 08	220.4	224.3	3.9	1.12
CC 39 08	230.3	232.6	2.3	1.05
CC 40 08	72.5	74.5	2.0	1.58
CC 40 08	138.8	140.8	2.0	1.02
CC 40 08	172.6	228.9	56.3	0.70
CC 41 08	No Significant Results			

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 16 07	81.8	83.1	1.3	1.06
CC 16 07	149.3	150.9	1.6	1.29
CC 16 07	170.1	344.3	174.2	1.46
Incl.	218.0	277.0	59.0	2.86
Incl.	275.0	277.0	2.0	36.15
CC 16 07	Hole was stopped at 345.3 m depth in a post-mineral aplite dyke			
CC 17 07	128.8	130.8	2.0	2.05
CC 17 07	200.7	202.2	1.5	2.47
CC 18 07	No Significant Results			
CC 31 08	131.7	137.7	6.0	0.79
CC 31 08	147.7	149.7	2.0	2.47
CC 32 08	61.6	63.1	1.5	1.98
CC 32 08	88.0	308.7	220.7	2.02
Incl.	88.0	97.8	9.8	17.91
and	245.6	249.8	4.2	25.69
CC 32 08	308.7	326.5	17.8	0.68
CC 33 08	54.7	55.7	1.0	3.07
CC 33 08	77.1	78.1	1.0	2.36
CC 33 08	109.4	110.4	1.0	1.34
CC 33 08	133.7	136.7	3.0	1.02
CC 34 08	134.0	136.0	2.0	1.29
CC 35 08	34.0	36.0	2.0	1.51
CC 35 08	100.6	102.3	1.7	1.53
CC 35 08	127.2	138.1	10.9	0.85
CC 35 08	202.1	203.1	1.0	28.45
CC 37 08	46.5	52.3	5.8	1.33
CC 37 08	148.8	152.5	3.7	1.88
CC 37 08	176.5	177.3	0.8	1.19
CC 37 08	208.3	208.8	0.5	3.88
CC 38 08	56.1	57.9	1.8	1.39
CC 38 08	107.3	130.4	23.1	0.88
CC 38 08	174.7	275.8	101.1	0.79
Incl.	174.7	176.4	1.7	3.45
and	179.2	180.2	1.0	1.82
and	190.1	192.4	2.3	2.66
and	204.4	204.9	0.5	2.75
and	219.5	238.7	19.2	1.78
and	261.6	275.8	14.2	1.39
CC 38 08	291.4	293.4	2.0	1.25
CC 38 08	308.3	311.6	3.3	1.01
CC 39 08	90.4	91.6	1.2	1.23
CC 39 08	108.6	117.2	8.6	1.23
CC 39 08	151.3	153.8	2.5	1.43
CC 39 08	220.4	224.3	3.9	1.12
CC 39 08	230.3	232.6	2.3	1.05
CC 40 08	72.5	74.5	2.0	1.58
CC 40 08	138.8	140.8	2.0	1.02
CC 40 08	172.6	228.9	56.3	0.70
CC 41 08	No Significant Results			

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 105 11	199.3	252.7	53.4	0.53
Incl.	237.7	249.7	12.0	0.77
CC 107 11	405.1	407.1	2.0	3.00
CC 109 11	138.0	139.0	1.0	4.66
CC 109 11	197.0	214.0	17.0	0.76
CC 109 11	244.2	251.0	6.8	1.58
CC 109 11	341.2	346.1	4.9	0.63
CC 109 11	364.0	367.1	3.1	0.30
CC 113 11	29.7	33.7	4.0	0.58
CC 115 11	No Significant Results			
CC 117 11	160.7	171.0	10.3	0.69
CC 117 11	393.0	402.3	9.3	0.66
CC 117 11	427.1	446.0	18.9	0.51
CC 118 11	33.0	40.0	7.0	0.41
CC 118 11	51.0	62.0	11.0	0.42
CC 118 11	207.2	207.7	0.5	58.70
CC 121 11	98.0	105.8	7.8	8.44
CC 124 11	366.7	376.8	10.1	1.10
CC 124 11	411.7	454.3	42.6	1.73
CC 124 11	485.5	496.6	11.1	0.23
CC 134 11	No Significant Results			
CC 147 11	No Significant Results			

Note: All holes were drilled at between -50° and -71°. The intersection widths are not necessarily true widths.