


Jerimum de Baixo – Diamond Drill Hole Summary

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 10 06	24.7	82.1	57.4	0.51
CC 91 10	130.0	160.4	30.4	0.40
CC 92 10	101.0	141.0	40.0	0.36
CC 94 10	1.5	106.7	105.2	0.60
Incl.	1.5	42.2	40.7	1.29
CC 95 10	0.0	54.0	54.0	0.39
CC 95 10	113.4	115.7	2.3	1.26
CC 97 10	No Significant Results			
CC 98 10	70.0	108.0	38.0	0.67
Incl.	95.0	107.0	12.0	1.69
CC 100 10	No Significant Results			
CC 135 11	0.0	17.6	17.6	0.42
CC 135 11	48.1	57.1	9.0	0.63
CC 135 11	68.1	88.1	20.0	0.49
CC 135 11	102.1	104.1	2.0	6.29
CC 137 11	0.0	7.0	7.0	0.76
CC 137 11	29.6	31.6	2.0	0.69
CC 137 11	41.6	66.6	25.0	0.49
CC 137 11	73.6	132.6	59.0	0.28
CC 139 11	No Significant Results			
CC 141 11	17.1	58.1	41.0	0.56
CC 141 11	92.1	125.1	33.0	0.28
CC 144 11	No Significant Results			
CC 146 11	165.5	167.5	2.0	0.85
CC 146 11	175.5	177.5	2.0	2.63
CC 146 11	202.5	220.5	18.0	0.39
CC 151 11	19.8	21.8	2.0	1.49
CC 151 11	78.8	87.8	9.0	0.40
CC 151 11	97.8	104.8	7.0	0.64
CC 151 11	152.7	155.7	3.0	0.60
CC 151 11	169.7	171.7	2.0	1.07
CC 155 11	37.2	42.2	5.0	0.47
CC 157 11	0.0	8.6	8.6	0.76
CC 157 11	33.7	35.7	2.0	2.40
CC 157 11	127.9	129.9	2.0	2.00

Note: All holes were drilled at between -50° and -60°. The intersection widths are not necessarily true widths.

Figure 10.7
Jerimum de Baixo – Diamond Drill Holes



Source: Cabral, 2017.