


Central North – Diamond Drill Hole Summary

Hole ID	From	To	Interval Width (m)	Gold (g/t)
CC 123 11	418.2	428.2	10	0.22
CC 123 11	462.5	469.8	7.3	0.38
CC 123 11	485.8	492.25	6.45	0.24
CC 127 11	260.5	268.5	8.0	0.83
CC 127 11	322.6	328.6	6.0	0.21
CC 127 11	357.3	374.3	17.0	0.3
CC 131 11	6.0	28.0	22.0	0.4
CC 131 11	125.5	140.1	14.6	0.33
CC 131 11	148.2	187.6	39.4	1.25
Incl.	157.2	158.2	1.0	9.65
CC 138 11	20.0	47.0	27.0	6.94
CC 148 11	148.4	157.4	9.0	0.94
CC 148 11	177.1	203.1	26.0	0.38
CC 148 11	266.2	282.2	16.0	0.38
CC 148 11	324.2	343.2	19.0	0.49
CC 150 11	54.0	58.5	4.5	0.46
CC 153 11	30.0	32.0	2.0	1.45
CC 153 11	73.1	83.5	10.4	0.60
CC 153 11	94.6	104.6	10.0	0.51
CC 153 11	138.6	142.6	4.0	1.46
CC 153 11	245.0	247.0	2.0	1.35
CC 153 11	259.0	267.0	8.0	0.76
CC 156 11	151.6	153.6	2.0	0.82
CC 156 11	165.0	166.0	1.0	4.73
CC 159 11	51.2	57.3	6.1	1.86
CC 159 11	66.0	68.0	2.0	0.90
CC 163 11	24.0	44.0	20.0	0.59
CC 163 11	109.8	123.8	14.0	0.50
CC 163 11	138.8	140.8	2.0	5.97
CC 165 11	No Significant Results			

Note: All holes were drilled at between -50° and -65°. The intersection widths are not necessarily true widths.

Figure 10.9
Central North – Diamond Drill Holes



Source: Cabral, 2017.